Instructor answer key

Award one point per correct answer. Refer to the slide and sources for review.

1. B A signal person is required
Slide 3 | 1926.1419

2. A A signal person
Slide 3 | 1926.1419

3. A Provide a signal person
Slide 3 | 1926.1419

4. C The operator's viewpoint
Slide 3 | 1926.1419

5. A One designated signal person
Slide 3 | 1926.1419

6. B An oral or written test and a practical test
Slide 4 | 1926.1428

7. D Each signaling type for which the person is qualified
Slide 4 | 1926.1428

8. D At the site, in paper or electronic form
Slide 4 | 1926.1428

9. A That assessment is specific to the former employer
Slide 4 | 1926.1428

Instructor answer key

Award one point per correct answer. Refer to the slide and sources for review.

10. A Remove them from signaling until retraining and reassessment confirm qualification
Slide 4 | 1926.1428

11. D The standard method in Subpart CC Appendix A
Slide 5 | 1926.1419, 1926.1421, 1926.1422

12. D When the standard method is infeasible or lacks the signal, with advance agreement by the required people
Slide 5 | 1926.1419, 1926.1421, 1926.1422

13. A On the equipment or conspicuously near the hoisting operation
Slide 5 | 1926.1419, 1926.1421, 1926.1422

14. C Function and direction, distance and/or speed, function and stop
Slide 5 | 1926.1419, 1926.1421, 1926.1422

15. A Meet and agree on the voice signals again
Slide 5 | 1926.1419, 1926.1421, 1926.1422

16. C Before operations begin
Slide 6 | 1926.1419, 1926.1420

17. B A dedicated channel, subject to the rule's exceptions
Slide 6 | 1926.1419, 1926.1420

18. B Hands-free
Slide 6 | 1926.1419, 1926.1420

Instructor answer key

Award one point per correct answer. Refer to the slide and sources for review.

19. B Safely stop until communication is restored and a proper signal is given and understood
Slide 6 | 1926.1419, 1926.1420

20. B Anyone who becomes aware of the problem
Slide 6 | 1926.1419, 1926.1420

21. D Basic understanding of operation and limitations, including swing, stopping and boom deflection
Slide 7 | 1926.1401, 1926.1408, 1926.1428

22. C It can keep moving briefly due to momentum
Slide 7 | 1926.1401, 1926.1408, 1926.1428

23. C The signal person requirements in §1926.1428
Slide 7 | 1926.1401, 1926.1408, 1926.1428

24. C Watch clearance and communicate with the operator to prevent encroachment
Slide 7 | 1926.1401, 1926.1408, 1926.1428

25. D Continuous contact
Slide 7 | 1926.1401, 1926.1408, 1926.1428

Source links

OSHA 1926.1419
OSHA 1926.1428
OSHA 1926.1421
OSHA 1926.1422
OSHA 1926.1420
OSHA 1926.1401
OSHA 1926.1408