Instructor answer key

Award one point per correct answer. Refer to the slide and sources for review.

1. D Teach employees to recognize and avoid unsafe conditions applicable to their work
Slide 3 | 1926.21, 1926.1424, 1926.1430

2. A Being struck or pinched between the rotating equipment and another object
Slide 3 | 1926.21, 1926.1424, 1926.1430

3. B Control lines, warning lines, railings or similar barriers
Slide 3 | 1926.21, 1926.1424, 1926.1430

4. D Warning signs and high-visibility equipment markings indicating the hazard area
Slide 3 | 1926.21, 1926.1424, 1926.1430

5. C Inform the operator before entry
Slide 3 | 1926.21, 1926.1424, 1926.1430

6. B The area where suspended material could reasonably fall in an accident
Slide 4 | 1926.1401, 1926.1425

7. D An employee engaged in guiding the load
Slide 4 | 1926.1401, 1926.1425

8. B A qualified rigger
Slide 4 | 1926.1401, 1926.1425

9. C Employees needed to receive it
Slide 4 | 1926.1401, 1926.1425

Instructor answer key

Award one point per correct answer. Refer to the slide and sources for review.

10. C Minimize employee exposure to hoisted loads, consistent with public safety
Slide 4 | 1926.1401, 1926.1425

11. A After a prearranged communication confirms the worker is in a safe position
Slide 5 | 1926.1424, 1926.1430, 1926.1404

12. B Between the load and its support
Slide 5 | 1926.1424, 1926.1430, 1926.1404

13. D Each employee who works with the equipment
Slide 5 | 1926.1424, 1926.1430, 1926.1404

14. A Instruction on tasks, hazards and hazardous positions for the assignment
Slide 5 | 1926.1424, 1926.1430, 1926.1404

15. C Give a stop or emergency stop signal
Slide 5 | 1926.1424, 1926.1430, 1926.1404

16. A As energized
Slide 6 | 1926.1408, 1926.1430

17. A Nonconductive
Slide 6 | 1926.1408, 1926.1430

18. D The operator and other workers who will be in the equipment or load area
Slide 6 | 1926.1408, 1926.1430

Instructor answer key

Award one point per correct answer. Refer to the slide and sources for review.

19. D Stay away from the equipment and load and warn others
Slide 6 | 1926.1408, 1926.1430

20. A Monitor clearance and maintain continuous contact with the operator
Slide 6 | 1926.1408, 1926.1430

21. B The lift director
Slide 7 | 1926.1432, 1926.1419, 1926.1430

22. A Obey it
Slide 7 | 1926.1432, 1926.1419, 1926.1430

23. C Operators and additional employees authorized to start or energize equipment or operate controls
Slide 7 | 1926.1432, 1926.1419, 1926.1430

24. B Each required trainee understands the information
Slide 7 | 1926.1432, 1926.1419, 1926.1430

25. C Conduct or a knowledge evaluation indicating retraining is necessary
Slide 7 | 1926.1432, 1926.1419, 1926.1430

Source links

OSHA 1926.21
OSHA 1926.1401
OSHA 1926.1408
OSHA 1926.1424
OSHA 1926.1425
OSHA 1926.1432
OSHA 1926.1430
OSHA 1926.1404
OSHA 1926.1419