Instructor answer key

Award one point per correct answer. Refer to the slide and sources for review.

1. C A competent and qualified person, or a competent person assisted by one or more qualified persons
Slide 3 | 1926.1401, 1926.1404

2. A Both competent-person and qualified-person criteria
Slide 3 | 1926.1401, 1926.1404

3. D Authority to take prompt corrective measures to eliminate identified hazards
Slide 3 | 1926.1401, 1926.1404

4. A Ability to solve problems related to the subject or work
Slide 3 | 1926.1401, 1926.1404

5. D The procedures that apply to the assembly or disassembly
Slide 3 | 1926.1401, 1926.1404

6. B Applicable manufacturer procedures or compliant employer procedures, subject to manufacturer prohibitions
Slide 4 | 1926.1403, 1926.1404, 1926.1406

7. D A qualified person
Slide 4 | 1926.1403, 1926.1404, 1926.1406

8. B The director understands them and has applied them to the same equipment type and configuration, including accessories if any
Slide 4 | 1926.1403, 1926.1404, 1926.1406

9. A Their tasks, associated hazards, and hazardous positions or locations to avoid
Slide 4 | 1926.1403, 1926.1404, 1926.1406

Instructor answer key

Award one point per correct answer. Refer to the slide and sources for review.

10. A Before the worker starts that task
Slide 4 | 1926.1403, 1926.1404, 1926.1406

11. C Inform the operator before entering
Slide 5 | 1926.1404

12. B After prearranged communication confirms the worker is safe
Slide 5 | 1926.1404

13. C Keep workers out from underneath, subject to the limited site-constraint exception
Slide 5 | 1926.1404

14. C Procedures minimizing dangerous unintended movement and the worker's exposure
Slide 5 | 1926.1404

15. B Support the load and maintain stability without damaging the components
Slide 5 | 1926.1404

16. C Conditions adequate for the operation and equipment support
Slide 6 | 1926.1404

17. D A registered professional engineer familiar with the equipment type
Slide 6 | 1926.1404

18. C They must be readily available
Slide 6 | 1926.1404

Instructor answer key

Award one point per correct answer. Refer to the slide and sources for review.

19. A Stay within rated capacities for the equipment, components, rigging and lifting accessories used
Slide 6 | 1926.1404

20. A Under the outrigger float or pad, or under the specified outer bearing surface for a beam designed without one
Slide 6 | 1926.1404

21. D A qualified rigger
Slide 7 | 1926.1404, 1926.1430

22. D Abrasive or sharp edges and configurations that reduce rated capacity
Slide 7 | 1926.1404, 1926.1430

23. B The synthetic sling manufacturer's instructions and limitations
Slide 7 | 1926.1404, 1926.1430

24. B Those applicable to their roles
Slide 7 | 1926.1404, 1926.1430

25. A Provide relevant refresher training at no cost and evaluate understanding as required
Slide 7 | 1926.1404, 1926.1430

Source links

OSHA 1926.1401
OSHA 1926.1404
OSHA 1926.1403
OSHA 1926.1406
OSHA 1926.1430