Awareness check

Awareness check only, not a qualification test. Choose one answer per question and mark the answer sheet.

1. When employees guide a suspended load from inside the fall zone, who must rig the load?

A. The crane operator
B. A qualified rigger
C. The employee receiving the load
D. Any worker trained as a signal person

2. Who performs rigging work during covered crane assembly or disassembly?

A. Any member of the assembly crew
B. The crane operator in every case
C. Any employee under the director's supervision
D. A qualified rigger

3. What must the rigging prevent when workers make the initial connection inside the fall zone?

A. Unintended displacement of the materials
B. All planned rotation of the load
C. All motion of the crane boom
D. Any change in the hoisting route

4. During ordinary fall-zone load handling under §1926.1425(c), which hook feature is required, subject to the wooden-truss exception?

A. A fixed eye
B. A swivel body
C. A self-closing latch or equivalent
D. A painted load rating

5. Who may be in the fall zone when a load is being landed?

A. Anyone attending the lift briefing
B. Only employees needed to receive the load
C. All employees wearing high-visibility clothing
D. All workers assigned to the site

Awareness check

Awareness check only, not a qualification test. Choose one answer per question and mark the answer sheet.

6. What ability must a qualified person demonstrate?

A. Solving problems related to the work
B. Operating every crane on site
C. Issuing third-party certifications
D. Signing the site fall protection plan

7. A rigger has demonstrated ability on routine steel bundles. What should the employer check before assigning an unfamiliar lift?

A. Whether the rigger has the longest tenure
B. Whether the crane operator knows the rigger
C. Whether the same sling material will be used
D. Whether the rigger has demonstrated ability for the new task

8. Which statement describes federal Subpart CC rigger certification?

A. Third-party certification is required for all riggers
B. The crane operator's certification also qualifies the rigger
C. The employer determines qualification for the work. Third-party rigger certification is optional under Subpart CC.
D. Only a nationally accredited card establishes qualification

9. What must the employer teach qualified persons under §1926.1430(d)?

A. Every operator certification exam topic
B. Subpart CC requirements applicable to their roles
C. Only the site emergency phone numbers
D. Only rigging component names

10. How does the employer confirm that required training was understood?

A. Evaluate each required trainee's understanding
B. Collect signatures on the attendance sheet
C. Confirm that the crew received the slides
D. Ask only the foreman to take the test

Awareness check

Awareness check only, not a qualification test. Choose one answer per question and mark the answer sheet.

11. An evaluation reveals a gap in an employee's knowledge. What is the employer's obligation?

A. Wait until the employee transfers jobs
B. Provide the full course on a fixed annual date
C. Charge the employee for review materials
D. Provide relevant refresher training at no cost to the employee

12. What timing applies to rigging equipment inspections under §1926.251(a)(1)?

A. At purchase and at annual inventory
B. At the start of each project
C. Before use on each shift and as needed during use
D. After the first lift of the shift

13. Who conducts the daily pre-use inspection of slings, fastenings and attachments under §1926.251(a)(6)?

A. Any worker assigned to the lift
B. A competent person designated by the employer
C. The crane inspector in every case
D. The supplier that delivered the sling

14. A shackle has unreadable manufacturer load markings. What should you do?

A. Keep it out of use
B. Use it at half the rating of a similar shackle
C. Use it for only the first lift
D. Mark a capacity based on its size

15. You find a defective sling during a lift sequence. What is the required action?

A. Finish the planned lifts before setting it aside
B. Use it with a smaller load
C. Move it to the light-duty rigging bin
D. Immediately remove it from service

Awareness check

Awareness check only, not a qualification test. Choose one answer per question and mark the answer sheet.

16. A planned load exceeds the manufacturer's indicated safe working load for an item. What should you do?

A. Proceed if the lift will be slow
B. Proceed if exposure is brief
C. Change the plan or select adequately rated equipment
D. Use the item if it passed inspection

17. What is the proper source for the exact ASME rigger testing clauses specified for a job?

A. The manufacturer's sling tag
B. The licensed copy of the adopted ASME edition
C. The course attendance record
D. A different edition selected from memory

18. Which ASME B30 volume covers slings?

A. B30.9
B. B30.26
C. B30.5
D. All three have the same scope

19. Which ASME B30 volume covers detachable rigging hardware such as shackles?

A. B30.5
B. B30.9
C. B30.26
D. All three have the same scope

20. Which is a set of common hitch types taught in this module?

A. Vertical, swivel and pinned
B. Basket, threaded and offset
C. Choker, latched and socketed
D. Vertical, choker and basket

Awareness check

Awareness check only, not a qualification test. Choose one answer per question and mark the answer sheet.

21. The crew cannot verify the weight of an unfamiliar load. What should happen before lifting?

A. Use the empty weight of a similar load
B. Resolve the weight from reliable information
C. Lift slowly and estimate it from movement
D. Assume the weight is evenly distributed

22. The sling angle or hitch changes after the rigging was selected. What must be rechecked?

A. The trainees' exam scores
B. Only the crane hand signals
C. Manufacturer ratings for the revised configuration
D. Only the sling's purchase date

23. For steel erection, who inspects rigging before each shift under §1926.753(c)(2)?

A. A qualified rigger
B. The lift director in every case
C. Any employee working below the crane
D. The supplier that furnished the rigging

24. What must employees engaged in multiple-lift rigging for steel erection be trained on?

A. Only the crane's lift count
B. Only standard hand signals
C. Only sling storage
D. The procedure's hazards and the applicable procedures and equipment

25. Which activity gives the employer direct evidence of hands-on rigging performance?

A. Reading the instructor package
B. Observing the trainee inspect, select and rig representative loads
C. Recording the trainee's attendance
D. Grading only the written exam